

NOAA National Weather Service (NWS) Products and Services

Hurricanes and Extreme Heat


Ernesto Rodriguez

Meteorologist-In-Charge (MIC)

Weather Forecast Office San Juan

nws.sanjuan@noaa.gov







Vision:

A Weather-Ready Nation Society is prepared for and responds to weather, water, and climate-dependent events.

MISSION: Provide weather, water, and climate data, forecasts and warnings for the protection of life and property and enhancement of the national economy.

1980-2024 Billion-Dollar Weather and Climate Disaster Cost (CPI-Adjusted)



United States

Drought:	\$370B+	Flooding:	\$200B-300B	Freeze:	\$20B-50B	Severe Storm:	\$510B+
Tropical Cyclone:	\$1.5T+	Wildfire:	\$100B-200B	Winter Storm:	\$100B-200B	All Disasters:	\$2.9T+



NATIONAL WEATHER SERVICE

Monthly Weather Hazards




JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC

Forecasts and Warnings



Tropical Weather



Extreme Heat




Floods/Water



Fire



Drought



Marine



Key Messages

1. **Hurricanes** are a major threat to both Puerto Rico and the U.S. Virgin Islands. **Hurricane extreme winds, rainfall rates, storm surge heights** due to sea level rise, and the number of the strongest (Category 3, 4, and 5) hurricanes are all projected to increase in a warming climate.
2. Future changes in total precipitation are uncertain, but **extreme precipitation is projected to increase**, with associated increases in the intensity and frequency of flooding.
3. **Temperatures in Puerto Rico and the U.S. Virgin Islands have risen almost 2°F since 1950.** Under a higher emissions pathway, historically unprecedented warming is projected during this century, including increases in extreme heat events.




[US Caribbean \(globalchange.gov\)](https://globalchange.gov)




Fuente: Díaz, E., Terando, A., Gould, W., Bowden, J., Chardón, P., Meléndez, M., and Morell, J. (2021). Working Group 1: Geophysical and Chemical Scientific Knowledge. State of the Climate Report. Puerto Rico Climate Change Council. Díaz, E. and Terando, A. [Eds.]

[Resumen del informe del Estado del Clima PR Capítulo 1 \(pr-ccc.org\)](#)

Extreme Winds











Peak gust wind speed with topographic effects (mph)

(1 mph = 0.447 m/s)




Source: NIST (February 2022 update)

Tropical Storm Ernesto




RADARSAT Constellation Mission Imagery Copyright Government of Canada 2024
RADARSAT is an official mark of the Canadian Space Agency
Processed at NOAA/NESDIS/STAR/SOCD 2024 Aug 14 15:13:13 UTC

Tropical Storm Ernesto




Flash Flooding





Evolving Water Prediction Capabilities




Service Limited to areas
with USGS sensors



National Water Model has the
capacity to represent all rivers
and streams in the area.

Putting Water On a Map




22.04 - Carr. 2 flooded - Rio Lajas out of its banksBarrio Chorro de Maguayo flooded



18.53 - Flooding in: Carr 165, in front of Urb Lagos De Plata, Sector El 26Villa Calma, Urb Las Gaviotas, Mansion del MarIn Dorado: Flooding in Barrio Mameyal, Sector Costa del Oro



Storm Surge





Puerto Rico/U.S. Virgin Islands Storm Surge & Waves

Project Team

Project Lead: Andre van der Westhuysen, NOAA NCEP

CO-PIs: Joannes Westerink, University of Notre Dame

Collaborators: Juan Gonzalez (CarriCOOS/Wood Group PLC), Julio Morell (CarriCOOS), Aurelio Mercado (UPRM), Reniel Calzada (UPRM/NOAA CSL), Volker Roeber (University of Hawaii), Dongming Yang (NOAA NCEP), Hugh Cobb (NOAA NCEP NHC), Carlos Anselmi (NOAA NWS San Juan Forecast Office), Ernesto Rodriguez (NOAA NWS San Juan Forecast Office), Luis Aponte (UPRM)

Federal Partners: Jamie Rhome (NOAA NVEP NHC), Jane Smith (USACE ERDC)

Project Overview and Results

The goal of this COMT project is to extend the present wave/surge operational forecasting capability from mild-sloped coastal areas such as the US East and Gulf of Mexico coasts to steep-sloped areas such as around Caribbean and Pacific islands and transition this capability to NOAA's National Hurricane Center and local WFOs. Broad project objectives are to: (1) compile a data set of observations collected around Puerto Rico and the USVI by the IOOS Caribbean Regional Association; (2) evaluate multiple, coupled wave/surge/inundation models against this data; (3) recommend the most suitable model for transition to operations and (4) assist with the transition. These outcomes will also be applicable to U.S. island regions in the Pacific and may therefore guide future implementations at NOAA's Central Pacific Hurricane Center.

U.S. island regions in the Caribbean and Pacific pose many challenges to the accurate modeling and prediction of hazardous wave-dominated storm surge inundation events. The relative importance of physical processes leading to inundation in steep-sloped, reef-edged island environments differs from those in milder-sloped mainland environments. Relatively little research has been done in these environments, constituting a significant knowledge gap. To compound this uncertainty, little observational data are available in many island environments. As a result, the U.S. National Weather Service (NWS) currently lacks operational surge and inundation guidance for these regions. An exception to this general data scarcity is Puerto Rico and the U.S. Virgin Islands (USVI), which frequently experience strong tropical and extra-tropical storms resulting in high waves, storm surge, and river flooding. A large number of observational instruments have been deployed here, many by IOOS Caribbean Regional Association partners, creating a valuable resource for the evaluation and advancement of operational wave/surge/inundation models of these areas.

NOAA upgrades storm surge forecasting model




NOAA has upgraded its Probabilistic Storm Surge (P-Surge) model — the primary model for predicting storm surge associated with high-impact weather like hurricanes and tropical storms — to version 3.0. This upgrade advances storm surge modelling and forecasting for the contiguous U.S. (CONUS), Puerto Rico and the U.S. Virgin Islands, and comes just in time for the 2023 hurricane season beginning on June 1 and running through November 30.

The upgrade includes a number of new capabilities that will help forecasters better understand the risk of storm surge, such as:


- New forecasts for surge, tide and waves for Puerto Rico and the U.S. Virgin Islands.
- The ability to run the model simultaneously for two storms. This capability can help during two landfalling storms impacting the CONUS, or one storm impacting the CONUS and one impacting Puerto Rico and/or the U.S. Virgin Islands.

2024 Hurricane Season Review & 2025 Hurricane Season Outlook





2024 Atlantic Hurricane Season Outlook



■ Above normal ■ Near normal ■ Below normal

Season probability

Named storms

17 - 25

18

Hurricanes

8 - 13

11


Major hurricanes

4 - 7



5



120° 115° 110° 105° 100° 95° 90° 85° 80° 75° 70° 65° 60° 55° 50° 45° 40° 35° 30° 25° 20° 15° 10° 5° 0° 5° 10°



The first half of the Hurricane Season Has Been Quiet



2024 ATLANTIC HURRICANE SEASON



HURRICANES THAT MADE U.S. LANDFALL

NAME	DATE	U.S. LANDFALL STRENGTH
Beryl	JUN 28 - JUL 9	CAT 1
Debby	AUG 3-9	CAT 1
Francine	SEP 9-12	CAT 2
Helene	SEP 24-27	CAT 4
Milton	OCT 5-10	CAT 3

The 2024 Atlantic hurricane season was above-normal with 18 named storms, of which eleven became hurricanes (winds of 74 mph or greater), including five major hurricanes (winds of 111 mph or greater). **Five storms made landfall as hurricanes along the U.S. Gulf Coast in 2024.** This tied 2005 and 2020 for the second most number of Gulf Coast hurricane landfalls on record, only trailing 1886, which saw 6 Gulf Coast landfalls.



Flooding was observed as the remnants of tropical cyclone **Beryl** interacted with a stationary front draped across the Northeast with localized rain totals values exceeding 7".



Helene produced catastrophic flooding with 20-30 inches of rainfall observed in western North Carolina. For a 3-day period, that amount is above the 1-in-1000 recurrence interval.



Milton's rate of rapid strengthening was among the highest ever observed. The ~90 mph increase in wind speed during a 24 hour period is only eclipsed by Wilma (2005) and Felix (2007). This storm is the 5th strongest hurricane on record.



Helene was the third hurricane in two years to hit Florida's Big Bend region and caused devastating storm surge and damaging winds that extended well inland.



Milton spawned 46 tornadoes in Florida with several rated EF-2 strength or stronger.



Oscar was one of the smallest hurricanes on record with a five-to-six-mile (8.0 to 9.7 km) wide hurricane-force wind field.



Beryl became a powerful Category 5 major hurricane, the earliest on record beating out Emily of 2005. This storm was the strongest June hurricane by wind speed on record.




Tropical Storm Ernesto

August 13-15, 2024





NWS San Juan provided briefings to federal, state and municipal agencies to help them prepare and respond before, during and after the event.



13 Aug 2024 13:30Z - NOAA/NESDIS/STAR - PR - Sandwich Composite

Tropical Storm Ernesto



RADARSAT Constellation Mission Imagery Copyright Government of Canada 2024
RADARSAT is an official mark of the Canadian Space Agency
Processed at NOAA/NESDIS/STAR/SOCD 2024 Aug 14 15:13:13 UTC



2025 Atlantic Tropical Cyclone Names

Andrea
Barry
Chantal
Dexter
Erin
Fernand
Gabrielle

Humberto
Imelda
Jerry
Karen
Lorenzo
Melissa
Nestor

Olga
Pablo
Rebekah
Sebastien
Tanya
Van
Wendy


Names provided by the World Meteorological Organization

2025 Hurricane Season - Current Conditions

NOAA will be issuing this Thursday May 22nd

Official NOAA CPC ENSO Probabilities (issued April 2025)

based on $-0.5^{\circ}/+0.5^{\circ}\text{C}$ thresholds in ERSSTv5 Niño-3.4 index




ENSO-**neutral** is favored to persist through the summer 2025, with a greater than 50% chance through the peak of the hurricane season.

CDAS Sea Surface Temperature Anomaly ($^{\circ}\text{C}$) (based on CFSR 1981-2010 Climatology)


Analysis Time: 06z Apr 25 2025

TROPICALTIDBITS.COM



Sea surface temperatures (SSTs)
are near-to-below average


Tropical Cyclone Products





Seven-Day Graphical Tropical Weather Outlook


National Hurricane Center Miami, Florida



Note: The cone contains the probable path of the storm center but does not show the size of the storm. Hazardous conditions can occur outside of the cone.

NATIONAL HURRICANE CENTER and CENTRAL PACIFIC HURRICANE CENTER

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION



Tropical Storm Bret
Tuesday June 20, 2023
11 AM AST Advisory 5
NWS National Hurricane Center

Current information: ●
Center location 11.9 N 47.0 W
Maximum sustained wind 40 mph
Movement W at 21 mph

Forecast positions: ○ Tropical Cyclone ○ Post/Potential TC
Sustained winds: D < 39 mph
S 39-73 mph H 74-110 mph M > 110 mph


Potential track area:
Day 1-3 Day 4-5

Watches:
Hurricane Trop Storm


Warnings:
Hurricane Trop Storm



Most Likely Arrival Time of Tropical-Storm-Force Winds




Flooding Threat




Flooding Rain Threat
Potential for extreme flooding rain
Potential for major flooding rain
Potential for moderate flooding rain
Potential for localized flooding rain
Little to no potential for flooding rain

Wind Threat




Wind Threat
Potential for wind greater than 110 mph
Potential for wind 74 to 110 mph
Potential for wind 58 to 73 mph
Potential for wind 39 to 57 mph
Wind less than 39 mph

Storm Surge Threat



Storm Surge Threat
Potential for storm surge flooding greater than 9 ft above ground
Potential for storm surge flooding greater than 6 ft above ground
Potential for storm surge flooding greater than 3 ft above ground
Potential for storm surge flooding greater than 1 ft above ground
Little to no storm surge flooding


Tornado Threat



Tornado Threat
Potential for outbreak of tornadoes
Potential for many tornadoes
Potential for several tornadoes
Potential for a few tornadoes
Tornadoes not expected

Official Tropical Products/Graphics


Tropical
Weather
Outlook



Cone of
Uncertainty




Wind
probability




Most Likely
and Earliest
Reasonable
Time Scenarios

Hurricane
Local
Statement




☒ Wind Threat ☐ Storm Surge Threat ☐ Flooding Rain Threat ☐ Tornado Threat



[\[Download KML\]](#)

Wind Threat
Potential for wind greater than 110 mph
Potential for wind 74 to 110 mph
Potential for wind 58 to 73 mph
Potential for wind 39 to 57 mph
Wind less than 39 mph


☐ Wind Threat ☒ Storm Surge Threat ☐ Flooding Rain Threat ☐ Tornado Threat



[\[Download KML\]](#)

Storm Surge Threat
Potential for storm surge flooding greater than 9 ft above ground
Potential for storm surge flooding greater than 6 ft above ground
Potential for storm surge flooding greater than 3 ft above ground
Potential for storm surge flooding greater than 1 ft above ground
Little to no storm surge flooding


☐ Wind Threat ☐ Storm Surge Threat ☒ Flooding Rain Threat ☐ Tornado Threat



[\[Download KML\]](#)

Flooding Rain Threat
Potential for extreme flooding rain
Potential for major flooding rain
Potential for moderate flooding rain
Potential for localized flooding rain
Little to no potential for flooding rain


☐ Wind Threat ☐ Storm Surge Threat ☐ Flooding Rain Threat ☒ Tornado Threat




[\[Download KML\]](#)

Tornado Threat
Potential for outbreak of tornadoes
Potential for many tornadoes
Potential for several tornadoes
Potential for a few tornadoes
Tornadoes not expected

There are currently no active storms in the North Atlantic, Caribbean Sea, or Gulf of Mexico.



Product Description



Product Description



<https://www.weather.gov/srh/tropical?office=sj>




Excessive Heat




84
St Croix


Daily Hours with Heat Index $\geq 102^{\circ}\text{F}$ in San Juan Airport (TJSJ)



Total Hours/Year with Heat Index $\geq 102^{\circ}\text{F}$ in San Juan Airport (TJSJ)



Monthly Average of Daily Maximum Heat Index (°F)





Layers Events Data

REFERENCE

- Place Labels
Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community
- Coastlines / Borders / Roads
© OpenStreetMap contributors
- Coastlines
© OpenStreetMap contributors

ORBITAL TRACK

- Suomi NPP - Orbit Track & Time
Suomi NPP / Space-Track.org
Acquisition Time (UTC) - Ascending/Descending

LAND SURFACE TEMPERATURE

Land Surface Temperature
NOAA-20 / VIIRS

Land Surface Temperature (Day)
Suomi NPP / VIIRS
v2 STD

212.6 - 213.2 K 338.6 - 339.2 K

Ascending/Day (Suomi NPP)

BASE LAYERS

- Corrected Reflectance (True Color)
NOAA-21 / VIIRS
- Corrected Reflectance (True Color)
NOAA-20 / VIIRS


+ Add Layers Group Similar Layers

Start Charting Start Comparison

2024 SEP 11 1 DAY



20 km
10 mi



NATIONAL WEATHER SERVICE

Impact-based Decision Support Services (IDSS)


Data &
Forecast
Provision

Modeling

Warning
Dissemination

Consultation &
Interpretation





Data &
Forecast
Provision

Modeling

Warning
Dissemination

Consultation
&
Interpretation





Data &
Forecast
Provision

Modeling

Warning
Dissemination

Consultation
&
Interpretation



NMEAD

Negociado para el Manejo de Emergencias
y Administración de Desastres



Data &
Forecast
Provision

Modeling

Warning
Dissemination

Consultation
&
Interpretation

NATIONAL WEATHER SERVICE

Our Partners



...And many other local, state, and national agencies!